

- Cassettes, Reagent Kits
- Metal Isotopes
- Oxygen-18 Enriched Water
- Oxygen-18 Gas
- ¹⁵N₂ / O₂ Gas Mixtures (39:1 and 99:1)

CAMPROSCIENTIFIC

Germany

www.campro.eu

The Netherlands

Tel. +49.(0)30.629.01.89.0 info@campro.eu

Tel. +31.(0)318.529.437 info.nl@campro.eu

FILL-EASE READY-TO-USE STERILE VIALS

Pre-assembled





Product Features

- Sterile and depyrogenated
- Ready to use
- Neutral Type I glass tubing
- CE Marked (upon request)
- ISO 13485: 2016 Certified
- DMFs filed with US FDA
- Manufactured per cGMP standards

Available Type

- Sterile Vacuum Vial
- Sterile Empty Vial (capped)
- Sterile Empty Vial (non capped)

The proven process







Depyrogenation



Closure Assembly



Packaging




Product Release Sterility Particales Endotoxins

Packaging Specifications

Bulk Packaging (Capped Vials Only)	Vial Size	Vials/Pack	
	2ml	25	
	5ml	25	
	10ml	100	
	15ml	100	
	25ml	50	
	30ml	50	
	50ml	25	
	100ml	25	
Double Layer Packaging			
	2ml	10	
	5ml	10	
	10ml	10	
	15ml	10	
	25ml	10	



- A wide selection of vials with USP type I glass Volumes ranging from 2 ml to 100 ml







***** ● Clear glass vial ● Amber glass vial

Vial No.	Vol.(ml)	Height _(mm)	Outer diameter _(mm)	Body diameter _(mm)	Colour
2A	3.8	35.0±0.5	13.0±0.2	16.0±0.15	•
2 B	3.8	35.0±0.5	13.0±0.2	16.0±0.15	•
5B	8.5	36.0±0.5	19.8±0.2	22.0±0.2	•
5C	8.5	36.0±0.5	19.8±0.2	22.0±0.2	•
10A	11.4	47.0±0.5	19.8±0.2	22.0±0.2	•
10B	12.4	45.0±0.5	19.8±0.2	24.0±0.2	•
10C	12.0	49.5±0.5	19.8±0.2	22.0±0.2	•
10D	12.5	52.0±0.5	19.8±0.2	22.0±0.2	•
10E	12.0	45.0±0.5	19.8±0.2	24.0±0.2	•
10M	12.5	52.5±0.5	19.8±0.2	22.0±0.2	•
15A	17.6	52.5±0.5	19.8±0.2	25.5±0.25	•
15B	17.3	52.0±0.5	19.8±0.2	25.0±0.2	•
15C	17.6	53.3±0.3	20.0±0.2	25.5±0.25	•
20A	25.0	58.0±0.5	19.8±0.2	31.8±0.3	•
25A	23.0	55.0±0.5	19.8±0.2	30.0±0.3	•
30A	35.0	66.0±0.5	19.8±0.2	32.0±0.3	•
30B	39.0	70.0±0.5	19.8±0.2	32.0±0.3	•
30C	33.0	62.7±0.5	19.8±0.2	35.8±0.3	•
30F	36.5	67.0±0.5	19.8±0.2	32.0±0.3	•
30G	33.0	68.0±0.5	19.8±0.2	30.0±0.3	•
30H	33.0	62.7±0.5	19.8±0.2	35.8±0.3	•
50A	54.0	72.5±0.5	19.8±0.2	42.5±0.4	•
50B	54.0	72.5±0.5	19.8±0.2	42.5±0.4	•
100A	139.0	110.0±1.0	28.1±0.2	52.5±0.6	•
100B	117.0	95.0±1.0	19.8±0.2	51.5±0.6	•
100C	117.0	94.5±0.5	20.0±0.2	51.6±0.3	•



Customization

Could not find a product in our catalog to meet your needs?





Seal

- O Wide range of styles
- O Color selection includes silver, yellow, red, blue and green



Stopper

- Available in Straight Plug, 1-Leg, 2-Leg and 3-Leg styles
- O Material: Chloro butyl rubber stopper; Bromo butyl rubber stopper; Teflon-coated butyl rubber stopper



Label

- O Transparent plastic label
- O Without label



Filling

- Nitrogen
- O Argon gas
- O Sterile water for injection
- O Sterile saline





Our staff are specially trained with an emphasis on adherence to work instructions and the utmost attention to quality.

All aspects, including material control, manufacturing process, quality control, supplier administration, etc. are defined in a set of Standard Operation Procedures.





A complete GMP quality system has been established. The system has been audited and approved by various companies such as IBA, Siemens and GMS. It has also been certified by the US Food and Drug Administration (FDA) (cGMP). It also holds ISO13485 and CE certificate issued by global qualification organizations such as Intertek, NQA and Dekra.

We are more than happy to support your specific local registration needs if necessary.







